


Cherry G83-6300 Series

Ökologische

**Description**

This development is based on the Cherry G83-6000 keyboard. The complete switch membrane and electronics are protected by an bigger rubber mat against spill water. The incoming liquid is led out directly by a channel system integrated into the keyboard to defined discharge drillings.



Specification**Mechanical data**

Dimensions:	458 x 170 x 19,1 mm
Weight:	1 kg
Housing:	Plastic
Color:	computer grey
Cable Length:	170 cm

Keys

Key Technology:	membrane
Number of Keys:	105
Keyboard Layout:	Windows95-German
Operational Life:	20 mio. keystrokes
Stroke Travel:	3,8 ± 0,2 mm
Key Legend:	Laser

Electric Data

Interface:	PS/2
Operating Voltage:	+5 V

Temperature

Operating Temperature:	from 0 °C to +50 °C
Storage Temperature:	from -20 °C to +60 °C

Order No.	Article	
KW1073	Cherry G83-6300-LPNDE	PS/2, german
KW1188	Cherry G83-6300-LPNUS	PS/2, US

Accessories

Order No.	Article	
ZS1148	Skin-Cherry G83-6105 Serie Win95-Europa 	key skin Win95, deutsch
ZS1229	Skin-Cherry G83-6300 LPNDE 	key skin for G83-6300 LPNDE

sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11