

GFK-97-Back panel mounting

membrane keyboard in back panel version with IP-65 trackball, supports different interfaces.



Description


Areas of application: industry, mechanical engineering, medical technology and laboratory area, transport and traffic, info. terminals and safety engineering as well as combined in- or output [Modules](#).

Easy installation by standard installation holes.

A cover on the back side protects the electronic inside.

A changeable Logo makes the individualization of the workplace possible.

Other country version are available on request.





Specification

Mechanical data

Dimensions:	387 x 180 oder x 32 mm
Housing:	Metal
Degree of Protection:	IP65
Color:	grey
Cable Length:	180 cm

Keys

Key Technology:	short travel key
Number of Keys:	97
Keyboard Layout:	Windows
Operational Life:	10 mio. keystrokes min. or 10 mio. keystrokes min.
Actuation Force:	5 N
Stroke Travel:	0,5 mm
Key Legend:	silk screen

Electric Data

Interface:	USB or PS/2
Additional Interface:	for Trackball USB oder PS/2
Operating Voltage:	5 V
Operating Current:	200 mA

Environment

Operating Temperature:	von -10 °C bis +65 °C
Storage Temperature:	von -25 °C bis +65 °C
Humidity:	95% not Kondensierend

Additional Information

Ball Diameter:	38 mm
----------------	-------

Order No.	Article	
KF1028	GFK-97-RT-PS/2-Ger	2xPS/2 interfaces, german layout

KF1204	GFK-97-RT-PS/2-US	2xPS/2 interfaces, US layout
KF1220	GFK-97-RT-PS/2-Franz	2xPS/2 interfaces, french layout
KF1030	GFK-97-RT-USB-Ger	1xUSB interface, german layout
KF1205	GFK-97-RT-USB-US	1xUSB interface, US layout
KF1162	GFK-97-Touch-RT-PS2-Ger	2xPS/2 interfaces, german layout
KF1206	GFK-97-Touch-RT-PS2-US	2xPS/2 interfaces, US layout
KF1268	GFK-97-Touch-RT-USB-Ger	1xUSB interfaces, german layout
KF1221	GFK-97-Touch-RT-PS2-Franz	2xPS/2 interfaces, french layout
KF1269	GFK-97-Touch-RT-USB-US	1xUSB interfaces, US layout

Accessories

Order No.	Article	
ZK1029	COM 9255	adapter PS/2 to AT
		

Links

Click!	Titel
	GFK-97-Series with Trackball and Touchpad Industrial, intelligent membrane keyboard in desktop, front panel and back panel mount versions with IP65 trackball, supports a variety of interfaces.

sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11