

GFK-97-Trackball Front panel mounting

Durable, intelligent membrane keyboard in front panel version with IP-65 trackball, supports different interfaces.



Description

Areas of application: industry, mechanical engineering, medical technology, data entry terminals, transport and traffic, info. terminals, POI, POS as well as combined in- or output [Modules](#).

Durable front panel made of aluminum and full-laminar closed design foil for the protection from dust and humidity.

Noticeable Tactility by special embossing technique

A changeable Logo makes the individualization of the workplace possible.

Other country version are available on request.



Specification**Mechanical data**

Dimensions:	387 x 180 x 32 mm
Housing:	Metal
Degree of Protection:	IP65
Color:	grey
Cable Length:	180 cm

Keys

Key Technology:	short travel key
Number of Keys:	97
Keyboard Layout:	Windows98
Operational Life:	10 mio. keystrokes min.
Actuation Force:	5 N
Stroke Travel:	0,5 mm
Key Legend:	silk screen

Electric Data

Interface:	PS/2 or USB
Additional Interface:	for Trackball PS/2 or USB
Operating Voltage:	5 V
Operating Current:	200 mA

Temperature

Operating Temperature:	from -10 °C to +60 °C
Storage Temperature:	from -25 °C to +65 °C
Humidity:	95% non-condensing

Order No.	Article	
KF1034	GFK-97-FT-PS/2-Ger	2xPS/2 interfaces, german layout
KF1196	GFK-97-FT-PS/2-US	2xPS/2 interfaces, US layout
KF1216	GFK-97-FT-PS/2-F	2xPS/2 interfaces, french layout
KF1036	GFK-97-FT-USB-Ger	1xUSB interface, german layout
KF1198	GFK-97-FT-USB-US	1xUSB interface, US layout
KF1217	GFK-97-FT-USB-F	1xUSB interface, französisches layout
KF1168	GFK-97-Touch-FT-PS/2-Ger	2xPS/2 interfaces, german layout
KF1207	GFK-97-Touch-FT-PS2-US	2xPS/2 interfaces, US layout

KF1222	GFK-97-Touch-FT-PS2-Franz	2xPS/2 interfaces, french layout
KF1271	GFK-97-Touch-FT-USB-Ger	1xUSB interfaces, german layout

Accessories

Order No.	Article	
ZK1029	COM 9255	adapter PS/2 to AT
		

Links

Click!	Titel
	GFK-97-Series with Trackball and Touchpad Industrial, intelligent membrane keyboard in desktop, front panel and back panel mount versions with IP65 trackball, supports a variety of interfaces.

sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11