

GTG-71/ 3HE Einbaumodul

Compact silicone keyboard, 71 keys, for front panel mounting and 3HE use.




Description



There are many different areas of application for this product. In order to make the installation into your own devices easier, the keyboard with PCB and integrated Controller is fit onto an aluminum front plate 3HE.

- The device is ready for installation with AT interface. The GTG-62 is additionally available with [USB](#) interface.
- The versions GTG-71 and GTG-62 differ in the keyboard layout. Please also see the data sheets "GTG-71 silicone mat" and "GTG-62 silicone mat" in the catalog cross reference.
- You also find the [description](#) of the general advantages of the GTG-71 series and the GTG-62 series in the catalog cross references down below.
-
-



Specification

Mechanical data

Dimensions:	229 x 128,4 x 22 mm
Weight:	0,360 kg
Degree of Protection:	IP65
Housing:	Metal

Keys

Key Technology:	conductiv rubber
Number of Keys:	71
Keyboard Layout:	US or German
Operational Life:	5 mio. keystrokes min.
Actuation Force:	1,3 N
Stroke Travel:	1,2 mm
Key Legend:	silk screen

Electric Data

Interface:	PS/2 or USB
Operating Voltage:	5 V
Operating Current:	110 mA

Environment

Operating Temperature:	from -10 °C to +60 °C
Storage Temperature:	from -20 °C to +80 °C


Order Information

Order No.	Article	
KM1129	GTG-71-3HE-PS2-GER	PS/2, German
KM1128	GTG-71-3HE-PS2-US	PS/2, US
KM1200	GTG-71-3HE-USB-GER	USB, German
KM1201	GTG-71-3HE-USB-US	USB, US

Accessories

Order No.	Article	
ZK1364	Anschlusskabel USB	
ZK1210	GKA-195-PS2	PS/2 cable, 180cm
ZK1029	COM 9255	adapter PS/2 to AT
		

Links

Click!	Titel
	GTG-71/GTG-62 Series Silicone mat keyboard with 71 or 62 keys in many different designs

sales@tastaturen.com Telefon: (089) 89 43 99-0 Fax: (089) 89 43 99-11