

GTL-96 Series

Programmable industrial keyboard with 96 relegendarable keys and optional integrated magnetic card reader



KP1110



KP1134

Description

High-quality keyboard from the area of the POS keyboards. This keyboard is characterised by the following features:

- The keyboard is freely programable. Each key can be occupied with up to 15 key codes. That is why it is possible to release a series of key combinations just by pressing one key.
- Three different key caps are optionally available in different sizes: simple, double and fourfold. They can be individually labeled by the user. Different layouts thus become realizable.
- [Barcode](#) decoder integrated with support for TTL, WAND emulation and RS-232 interface.
Legible barcodes:UPC/EAN/JAN with add-2/5, code 39, code 128, ITF 2/5, codabar, code 11, code 93, MSI/plessey.
- An additional AT interface makes it possible to connect a second keyboard. For example you can use a standard keyboard at the same time with the GTL series.
- Optionally magnetic card reader with three tracks.
- Key log with 8 different positions and 4 keys in order to protect the keyboard against unauthoized use (optional).
- Durable Cherry MX-switch.

Specification**Mechanical data**

Dimensions:	277 or 277 x 210 or x 210 x 45 or x 45 mm
Weight:	1,15 kg or 1,15 kg
Housing:	Plastic
Color:	computer grey
Cable Length:	150 cm or 150 cm

Keys

Key Technology:	micro switch
Number of Keys:	96 or 96
Keyboard Layout:	free
Operational Life:	20 mio. keystrokes min. or 20 mio. keystrokes min.
Key Legend:	relegendable

Electric Data

Interface:	AT or AT-through put or PS/2
Operating Voltage:	5 or $5 \pm 0,25$ V or $\pm 0,25$ V
Operating Current:	40 or 40 mA

Environment

Operating Temperature:	from 0 °C or from 0 °C to +50 °C or to 50 °C
Storage Temperature:	from -20 °C or from -20 °C to +70 °C or to 70 °C
Humidity:	10%-90%

Additional Information

Abmaße mit Magnetkartenleser:: 300 x 215 x 45mm

Order No.	Article
KP1110	GTL-96T-PS/2 interface PS/2
KP1155	GTL-96D12-PS/2 interface PS/2
KP1134	GTL-96T-DIN 5 Anschluß PS/2

Accessories

Order No.	Article
ZT1174	CA-1x1-Wiederbeschriftbar relegendable
ZT1011	CA-1x2-Wiederbeschriftbar relegendable
ZT1012	CA-2x2-Wiederbeschriftbar relegendable

Links

Click!	Titel
	GTL-60 Series Programmable industrial keyboard with 60 relegendable keys and optionally integrated magnetic card reader
	GTL-80 Series Programmable industrial keyboard with 80 relegendable keys and optional integrated magnetic card reader
	GTL-137 Series Programmable industrial keyboard with 137 relegendable keys and optional integrated magnetcard reader

sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11