



### **KVC-2 Trackball Module with USB interface**

Integrated in a 2 mm stainless steel front plate



### **Description**



This [Trackball](#) is integrated into a 2 mm high-grade steel front plate.

With a diameter of 38 mm it obtains a very good input feeling due to the size.

The integrated metal switches have a very good tactility and so a safe operation always is guaranteed. Prying off of the switches is nearly impossible. The ruggedness is based on the special ABS plastic coating of the keys. The high-grade steel front plate is polished in longitudinal direction of the switches. Thus this trackball has a very aesthetical exterior.

#### **Features:**

- Comes with [USB](#) interface
- The integration of the 2 mouse buttons enables an application of the usual Windows Mousefunction such as activation key (left key) and characteristic key (right key).
- The size of this trackball makes it very comfortable and exact to use. This offers a variety of application fields.
- This Trackball is integrated into a 2 mm high-grade steel front plate



## Specification

### Mechanical data

Housing:	Metal
Degree of Protection:	IP 65 (static)
Dimensions:	145 x 84 x 32 mm
Cable Length:	180 cm
Ball Diameter:	38 mm
Ball Material:	Plastic

---

### Keys

Key Technology:	short-stroke keys
Number of Keys:	2

---

### Electric Data

Interface:	<a href="#">USB</a>
------------	---------------------

---

### Environment

Operating Temperature: from 0 °C to 55 °C

Storage Temperature: from -20 °C to 70 °C

---

Order No.	Article
KV1289	KVC-2-Kurzhub-USB

**sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11**