

KVS-101-Table

Elegant stainless steel keyboard with integrated touch



Description

Applications:

This keyboard is suited for public areas prone to vandalism as well as for areas where hygiene is a must such as kiosks, points of information, industry and medical applications.

Special characteristics

A pleasant tactile feeling is achieved by the use of short travel keys.

Intelligent technologies prevent mechanical damage.

The keytops are laser engraved to prevent the wearing off of the legends.

The table-top version has an integrated [Touchpad](#)

IP65 / NEMA4 dust and waterproof.

On demand all keyboards can be re-designed to adapt to user requirements.

Technik



Specification**Mechanical data**

Dimensions:	479 x 185 x 22 mm
Weight:	2,8 kg
Housing:	High-Grade Steel
Degree of Protection:	IP65

Keys

Number of Keys:	105
Keyboard Layout:	Windows95-German
Operational Life:	3 mio. keystrokes
Actuation Force:	3 N
Stroke Travel:	0,8 mm
Key Legend:	Laser

Electric Data

Interface:	PS/2
Operating Voltage:	5 V
Operating Current:	100 mA

Temperature

Operating Temperature:	from - 0 °C to +50 °C
Storage Temperature:	from -20 °C to +65 °C

Order No.	Article	
	<i>table top version with touchpad</i>	
KV1001	KVS-105-Ger-Tisch-Touchpad	PS/2 interface, german layout
KV1149	KVS-105-US-Tisch-Touchpad	PS/2 interface, US layout

Accessories

Order No.	Article	
DY1001	Belaserungskosten	lasering
DY1000	Einmalige Einrichtungskosten für Belaserung	initial costs
ZK1029	COM 9255 	adapter PS/2 to AT
ZX1169	Erroclean 3000	Special cleaner

Links

Click!	Titel
	KVS-101/105 Series

sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11