www.tastaturen.com®

KVS-66 Web-Keyboard as Front Panel Mounted Version

Vandal resistant stainless steel keyboard as back panel mounted version with trackball.



Description

This stainless steel keyboard offers substantial advantages to many other metal keyboards.

This keyboard was <u>Design</u>ed for uses such as in modern point-of-information terminals.

Special features:

This vandal resistant keyboard has steel keys with a travel of 3 mm that stand out of the frontplate. This makes this keyboard as simple to use as a standard PC-keyboard.

The keys are laser engraved and cannot be pulled out.

The keyboard including the trackerball is protected against the ingress of dust and water (IP65/NEMA4 front) and is therefore also suited for outdoor use.

The keyboard can be supplied in German, as well as in other language layouts. Please contact us to enquire the availability of your desired layout. Customerspecific layouts can be produced as well.



Specification

Printer

Mechanical data

Housing: Front-panel mounted with integrated studs

Dimensions: 426,5 x 145 x 44 mm

Degree of Protection: IP65

Housing: High-Grade Steel

Cable Length: 150 cm

Keys

Key Technology: membrane

Number of Keys: 66

Keyboard Layout: German or US-Greek or Portugal or Swiss

Operational Life: 5 mio. keystrokes min.

Actuation Force: 5 N
Stroke Travel: 3 mm
Key Legend: Laser

Electric Data

Interface: PS/2 or USB

Operating Voltage: 5 V


Operating Current: 300 mA

Environment

Operating Temperature: from -10 °C to +50 °C Storage Temperature: from -20 °C to +60 °C

Order No. Article		
KV1238	KVS-66-F-D-PS/2	PS/2, German
KV1260	KVS-66-F-US-PS/2	PS/2, US
KV1239	KVS-66-F-GR-PS/2	PS/2, US-Greek
KV1247	KVS-66-F-PT-PS/2	PS/2, Portugal
KV1265	KVS-66-F-CH-PS/2	PS/2, Swiss
KV1349	KVS-66-F-CH-USB	USB, Swiss
KV1348	KVS-66-F-D-USB	USB, German
with stainless steel trackball		
KV1360	KVS-66-F-Edel-D-PS/2	PS/2 interface, german layout
with stainless steel trackball		
KV1262	KVS-66-F-Edel-D-USB	PS/2 interface, german layout

Links



sales@tastaturen.com Telefon: (089) 89 43 99-0 Fax: (089) 89 43 99-11