

KWD-86-Schublade

A very compact keyboard for mounting in 19" racks.



Description



Applications:

This keyboard is suitable for many areas such as industrial, marine and military.

Characteristics:

- The protection rating is [IP65](#) / [NEMA4](#) making it both dust and liquid proof.
- The key travel of 1.5 mm and the tactile feedback gives the keyboard great typing comfort.
- The keytops are laser-engraved.
- Other language versions are available on request.

Dimensions:



L = 197,00mm
 L1 = 159,00mm
 L2 = 16,00mm
 B = 315,00mm
 B1 = 482,60mm
 H = 44,4mm



Specification

Mechanical data

Dimensions: 483 x 204 x 44,4 mm
Degree of Protection: [IP65](#)
Housing: Aluminium
Color:
Cable Length: 180 cm

Keys

Key Technology: carbon contact
Number of Keys: 86
Keyboard Layout: German or France or US
Operational Life: 1 mio. keystrokes min.
Actuation Force: 0,6 N
Stroke Travel: 1,5 mm
Key Legend: Laser

Electric Data

Interface: [PS/2](#)
Operating Voltage: 5 V
Operating Current: 10 mA

Environment

Operating Temperature: from -10 °C to +60 °C
Storage Temperature: from -40 °C to +80 °C

Order No.	Article	
KW1193	KWD-86-Schu-PS2-Ger	PS/2, German
KW1214	KWD-86-Schu-PS2-US	PS/2, US
KW2146	KWD-86-Schu-PS2-FR	PS/2, France

Links

Click!	Titel
	KWD-86 Series in IP65 front The keyboards of the KWD-86 series are both compact and water and dust proof.

sales@tastaturen.com Telefon: (089) 89 43 99-0 Fax: (089) 89 43 99-11