

S-Series

Vandalism proof key modules

**Description**

The Storm 1000 series is particularly characterised by the substantial design from poured steel. So this keyboard is particularly conceived for the application on hardest environmental conditions. It is available with four, twelve and 16 keys.

The fields of application are e.g.:

- Cash-point dispensers
- Access-Controll
- Weighing stations in production environments

Special attributes:

- The Storm 1000 series is particularly characterised by the substantial design from poured steel (rated IP 67)
- An extra plain intergration of the engraved keys in the frontpanel don't allow them to be pulled out.
The patented key mechanics with good tactile feedback guarantee an easy handling.
- The keyboards have an extremely high lifespan of more than 4 Mio. operations.

Specification**Mechanical data**

Dimensions:	118,50 or 96 x 118,5 or x 115 mm
Weight:	0,555 kg
Housing:	Metal
Degree of Protection:	IP67

Keys

Key Technology:	conductiv rubber
Number of Keys:	12 or 16
Keyboard Layout:	alphanumeric or telephone
Operational Life:	4 mio. keystrokes min.
Actuation Force:	1,8 N
Stroke Travel:	1,4 mm

Key Legend: engraved

Electric Data




Interface: Matrix
 Operating Voltage: 24 V
 Operating Current: 50 mA


Environment

Operating Temperature: from -40 °C or from -25 °C to 100 °C or to 85 °C


Order No.	Article	
Standard		
KV1267	S-4-Tel	4 keys engraved
Standard		
KV1268	S-4-Tel beleuchtet	4 keys illuminated
Standard		
KV1266	S-4-Tel unbeschriftet	4 keys blank layout
Standard		
KV1034	S-12-Tel	12 keys in telephone layout
eluminated		
KV1162	S-12-Tel-Beleuchtet	12 keys in telephone layout
KV1160	S-16-Tel	16 keys in telephone layout
KV1216	S-16-Tel-Beleuchtet	16 keys in telephone layout
KV1009	Storm 1000-16-Calc	16 keys in calculator layout

Accessories

Order No.	Article	
CK1136	GCK-972-PS/2-STD 	Keyboard-Controller with Teach-In
CK1152	GCK-972-PS/2-STD-S 	Keyboard-Controller with Teach-In
ZK1260	GKA-397 	PC-Connection PS/2

ZK1344	GKA-397-4Meter 	PC-Connection PS/2
ZK1282	GKA-417	connection cable for matrix to controller

Links

Click!	Titel
	PI 066 - 07/29/2004 The new S-Series Five Star Performance

sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11