

TW-38-IP65 Trackball in high grade steel

Trackball for built-in in industrial applications, ball diameter 38 mm, degree of protection IP40/IP65



Description

Applications:

This line of [Trackballs](#) is very robust and IP65 / NEMA4 water and dust proof. It is therefore suited for many applications in fields such as in kiosks, infoterminals, and industrial applications.

Characteristics:

- The TW-38 is a high-quality trackball with steel shafts and bearings, a heavy polymer ball and a very reliable controller. It can be mounted from the front (drop-in) or from the rear. Up to 3 external switches can also be connected to the controller.
- Special versions are available on request:
- The standard ball colour is black. A stainless steel version and the ball colours ivory, grey or backlit blue are available on request.
- Version with 2 or 3 buttons integrated into a stainless steel frontpanel.

Output Connector:

Pin	Quadratur Ausgang	PS/2	USB
1	X1	-	-
2	X2	-	-
3	Y1	-	-
4	Y2	-	-
5	-	-	-
6	-	-	-
7	VCC +5VDC	VCC +5VDC	VCC +5VDC
8	-	DATA	D-
9	-	CLOCK	D+
10	GND	GND	GND

Connector for Switches:


Pin	Funktion
1	Linker Schalter
2	Mittlerer Schalter
3	Rechte Schalter
4	GND

Order No.	Article	
TW1080	TW-38-IP65-Metall-PS/2	PS/2 interface
TW1090	TW-38-IP65-Metall-USB	USB interface

Accessories

Order No.	Article	
ZK1220	Kabel-PS2	cable PS/2
ZK1316	Kabel-Seriell	cable Seriell
ZK1290	USB Anschlußkabel, ca. 1.5m Länge	cable for USB
ZK1245	Kabel zum Anschluß von 2 Tasten (L+R) an Trackball mit integriertem Controller	Cable Left+Right Mouseswitch -> Controller
ZK1342	Kabel zum Anschluß von 3 Tasten (L+R) an Trackball mit integriertem Controller	Cable Left+Right Mouseswitch -> Controller
ZT1043	ZTS- M19 Metalltaste 	M19 Zink-Druckguß Taster
ZT1091	M19-Edelstahl	M19 Edelstahl Taster

Links

Click!	Titel
	TW-38-IP65 Trackball Trackball for multiple applications, ball diameter 38 mm (1 1/2"), degree of protection IP65

sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11